

Welcome

With the largest range of reproduction cast iron radiators available in the UK along with our bespoke build and finish service, we are proud to offer this exclusive collection. We also offer a wide range of finely detailed radiator valves and accessories to suit.

With products ranging from the extensive vintage Victorian series to the exquisite Antoinette model, to enrich any décor.

All of the finishing and assembly is completed in our UK workshops by our skilled technicians. We take great pride in our products and workmanship and offer a full 10 year Guarantee.

If you have any questions at all, please contact us on: Freephone: 0808 129 2224 Email: sales@carron.uk.net

Paint Finishes



French Grey


Graphite Grey

Ancient Breeze

Parchment White



Vellum



Satin Black





Willow Green

Foundry Grey









Hammered Bronze





(French Grey)

Our Hand Burnished finish is achieved by using abrasives to polish the surface of the Cast Iron. We then apply light oil to the radiator prior to despatch. This will require maintaining by reapplying the oil as required. Any contact with moisture should be avoided and therefore do not recommend using this finish in bathrooms etc.

Due to the limitation of the printing process/photography, please note that colours may vary from the actual painted finish. We recommend you request a free colour swatch prior to purchase.

(Not available for Highlight Polish, Hand Burnished & Antique finishes)

As each radiator is hand built and seal compression/machined faces vary slightly, measurements given are for guidance only and should not be used for the location of pipe work.

We reserve the right to amend designs without prior notification.















Left Hand Burnished


Highlight Polish For Height 560mm Heig


Foundry Grey Height 560mm

The Rococo

One of the first produced decorative cast iron radiators, originally manufactured in France in the 1890's it features elegantly scalloped top detail with interwoven decoration.








| | | | | | | . ~ | Joianni | | | | | | | | i di i i i i | | | | |
|-----------|-----------|---------|------------|-----------|------------|------------|-----------|-----------|----------|-------|-------|-------|-------|--------|--------------|-------|-----------|----------|-------------------|
| Above | | No. of | | Section | Section | Section | Section | Section | | ta 50 | | | | | | | uitable l | | Wall Mount Bracke |
| Hand | Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | Depth (F) | BIU's | Watts | BIU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| Burnished | LD076/077 | I | 560mm | I15mm | 400mm | I I 0mm | I40mm | 75mm | 190 | 56 | 241 | 70 | 7.4 | 8.4 | ✓ | ✓ | √ | √ | ✓ |
| | LD088/089 | I | 660mm | I15mm | 500mm | II0mm | I40mm | 75mm | 226 | 66 | 284 | 83 | 8.1 | 10.1 | ✓ | ✓ | ✓ | ✓ | ✓ |
| 10 | LD036/037 | I | 950mm | I15mm | 790mm | II0mm | I40mm | 75mm | 239 | 70 | 410 | 120 | 10.8 | 12.1 | √ | ✓ | ✓ | √ | ✓ |
| 4 | LD074/075 | 2 | 560mm | 185mm | 400mm | I I 0mm | 205mm | 73mm | 254* | 74* | 318* | 93* | 8.0* | 9.5* | ✓ | ✓ | ✓ | √ | ✓ |
| | LD026/027 | 2 | 945mm | 185mm | 787mm | II0mm | 205mm | 66mm | 489 | | 617 | 181 | 16.6 | 19.4 | ✓ | ✓ | √ | √ | ✓ |
| | | | | | | | | | * Estima | ted | | | | | | | | | |





| | | | | | | 5 Column | | | | | | | | | | | | |
|--------------|--------------|-----------------------|-------|-----------------------|-----------------------|----------|------|----------|-----|------|------|------|-------|----------|----------|----------|----------|------------------------------|
| Code | | Section Height (A) | | Section Height (C) | Section Height (D) | | | | | | | - 0 | (0/ | | . , \ | | . 0/ | Wall Mount Bracket HEF035 |
| JJC008/009 | 3 | 460mm | 225mm | 280mm | II0mm | 250mm | 75mm | 285* | 83* | 363* | 106* | 9.6* | 10.7* | ✓ | ✓ | ✓ | ✓ | ✓ |
| LD030/031‡ | 3 | 780mm | 225mm | 600mm | I I 0mm | 250mm | 66mm | 467 | 137 | 592 | 174 | 15.2 | 17.0 | √ | √ | √ | ✓ | √ |
| LD032/033 | 3 | 810mm | 225mm | 640mm | II0mm | 250mm | 75mm | 542 | 159 | 689 | 202 | 17.6 | 19.7 | ✓ | √ | ✓ | √ | √ |
| ‡ With decor | ation on fro | ont | | | | | | * Estima | ted | | | | | | | | | |

Hand Burnished Height 810mm

5







Hand Burnished Height 675mm

More paint finishes on page 2







Ancient Breeze Height 675mm




Antiqued (French Grey) Height 675mm




Height 675mm



No. of Section Section Code Columns Height (A) Width (B) Section Section Width (C) Height (D) Section Depth (F) BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 HEF035 Hand Burnished



LD063/064 | 1 | 675mm | 195mm | 500mm | 125mm | 220mm | 66mm | 338 | 99 | 427 | 125 | 13.3 | 14.8 | x | \(\sqrt{} \) \(\sqrt{} \)







Left Hand Burnished

French Grey Height 800mm

Parchment White Height 940mm

More paint finishes on page 2

The Verona

Originally manufactured in Massachusetts, USA by the American Radiator Company in the 1890's, this truly remarkable design combines cherubs, dragons and lions entwined together with vines running throughout the decoration.




Hammered Gold Height 940mm




Antiqued (French Grey) Height 800mm



Willow Green Height 650mm





| Above | | l NI C | | | c | | | | | | | | \A/ - I | | \A/ II / | . (6 | | x 1 | WALLEY D. L. |
|---------------|------------|---------|------------|-----------|------------|------------|-----------|-----------|-------|-------|-------|-------|---------|--------|----------|-------|-------|-------|--------------------|
| Hand | | No. of | Section | Section | Section | Section | Section | Section | | ta 50 | | | | (0/ | | | | . 0/ | Wall Mount Bracket |
| Burnished | Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | Depth (F) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| Durnisned | IIC051/052 | | 650mm | 200mm | 480mm | I I Omm | 215mm | 63mm | 297 | 87 | 375 | 110 | 12.4 | 14 1 | × | × | | | |
| R | ,, | | | | 100111111 | | | | | | | | | | | | | | |
| \mathcal{O} | LD005/006 | 1 | 800mm | 200mm | 640mm | II0mm | 215mm | 62mm | 384 | 112 | 489 | 143 | 14.3 | 16.5 | X | X | ✓ | ✓ | ✓ |
| | 11/010/010 | 1 | 0.40 | 200 | 700 | 110 | 215 | 67 | 410 | 122 | E22 | 157 | 14.7 | 10.1 | | | | | |









Graphite Grey

Hand Burnished Height 980mm

The Orleans

Fluid Art Nouveau runs throughout this design which is distinctly French in origin.

A particularly attractive addition to any décor.



Graphite Grey Height 980mm











Antiqued (French Grey) Height 980mm









Antiqued (Hammered Gold)

No. of Section Code No. of Section Section Columns Height (A) Section Width (B) Height (C) Height (D) Section No. of Columns Height (A) Section No. of Columns Height (A) Section No. of Columns Height (B) Section No. of Columns Height (C) Height (D) Section No. of Columns Height (A) Section No. of Columns Height (B) Section No. of Columns Height (C) Height (D) Section No. of Columns Height (A) Section No. of Columns Height (B) Section No. of Columns Height (B) Section No. of Columns Height (C) Height (D) Section No. of Columns Height (B) Section No. of Columns Height (B) Section No. of Columns Height (C) Height (D) Section No. of Columns Height (C) Height (D) No. of Columns Height (D) N LD034/035 2 980mm | 175mm | 840mm | 100mm | 65mm | 467 | 137 | 593 | 174 | 17.3 | 20.0 | \(\sqrt{} \) | \(\sqrt{} \) | \(\sqrt{} \)









Left Buttermilk

Hand Burnished Height 595mm

More paint finishes on page 2

The Daisy

This elegant decorative radiator, first

produced in France in the 1890's, was

originally intended for use with steam.

This design has since evolved to be used on hot

water systems and features an eye

catching daisy design flowing from top to

bottom.



Willow Green Height 975mm



Hammered Gold Height 780mm



Vellum Height 780mm




Buttermilk Height 595mm



Parchment White Height 595mm





| Abov | е |
|------|-----------|
| Hand | Burnished |
| | |

12

| | No. of | Section | Section | Section | Section | Section | De | lta 50 | De | ta 60 | Weigh | t (Kg) | Wall S | Stays (S | uitable l | Fitting) | Wall Mount Bracket |
|-----------|---------|------------|-----------|------------|------------|-----------|-------|--------|-------|-------|-------|--------|----------|----------|-----------|----------|--------------------|
| Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| LD053/054 | 2 | 595mm | 175mm | 400mm | II0mm | 66mm | 271 | 79 | 338 | 99 | 8.6 | 10.1 | ✓ | ✓ | ✓ | ✓ | ✓ |
| LD028/029 | 2 | 780mm | 175mm | 600mm | 95mm | 66mm | 363 | 106 | 457 | 134 | 11.3 | 13.3 | ✓ | ✓ | ✓ | ✓ | ✓ |
| LD024/025 | 2 | 975mm | 175mm | 790mm | 95mm | 68mm | 451 | 132 | 573 | 168 | 15.1 | 17.2 | √ | √ | ✓ | √ | ✓ |









Left Graphite Grey

Hand Burnished Height 615mm

The Victorian

A traditional Victorian radiator which was first produced in America in the 1880's.

Today, this simple design gives a contemporary feel, especially when fully polished.



Graphite Grey Height 810mm 4 Columns



Ancient Breeze Height 760mm 4 Columns



Antiqued (French Grey) Height 660mm 4 Columns








Hand Burnished Height 615mm 2 Columns




Hammered Gold Height 460mm 4 Columns

















| | No. of | | Section | | Section | Section | | | | | | | | | | | Wall Mount Bracket |
|-----------|---------|------------|-----------|------------|------------|-----------|-------|-------|-------|-------|-------|--------|-------|----------|-------|-------|--------------------|
| Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| LD183/184 | 2 | 615mm | 70mm | 500mm | 80mm | 50mm | 96 | 28 | 120 | 35 | 2.5 | 2.8 | ✓ | ✓ | ✓ | ✓ | x |
| LD060/061 | 4 | 460mm | I40mm | 310mm | 105mm | 61mm | 185 | 54 | 232 | 68 | 3.8 | 4.4 | ✓ | √ | ✓ | ✓ | ✓ |
| LD015/016 | 4 | 660mm | I40mm | 500mm | I15mm | 61mm | 262 | 77 | 330 | 97 | 5.6 | 6.5 | ✓ | ✓ | ✓ | ✓ | ✓ |
| LD011/012 | 4 | 760mm | I40mm | 605mm | I15mm | 61mm | 306 | 90 | 386 | 113 | 6.5 | 7.5 | ✓ | ✓ | ✓ | ✓ | ✓ |
| LD013/014 | 4 | 810mm | I60mm | 640mm | I20mm | 58mm | 337 | 110 | 478 | 140 | 8.0 | 9.2 | ✓ | ✓ | ✓ | ✓ | ✓ |







Hand Burnished Height 920mm

Hand Burnished Height 625mm

Hand Burnished Height 330mm

More paint finishes on page 2











Hammered Bronze Height 625mm 6 Columns

Buttermilk Height 330mm 9 Columns





| | | No. of | Section | Section | Section | Section | Section | De | lta 50 | Del | ta 60 | Weigh | t (Kg) | Wall 9 | Stays (Si | uitable f | itting) | Wall Mount Bracket |
|---------------|------------|---------|------------|-----------|------------|------------|-----------|-------|--------|-------|-------|-------|--------|--------|-----------|-----------|----------|--------------------|
| | Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LD I 04 | HEF035 |
| | JJC027/028 | 6 | 625mm | 220mm | 480mm | 105mm | 52mm | 377* | 110* | 472* | 139* | 10.1* | 11.2* | ✓ | ✓ | √ | √ | ✓ |
| $\overline{}$ | LD078/079 | 6 | 920mm | 215mm | 790mm | 95mm | 58mm | 552* | 160* | 690* | 201* | 11.0* | 12.4* | ✓ | √ | ✓ | √ | ✓ |
| | LD009/010 | 9 | 330mm | 330mm | 217mm | 75mm | 56mm | 352 | 103 | 444 | 130 | 7.8 | 8.9 | N/A | N/A | N/A | N/A | × |
| | | | | | | | | | | | | | | | | | | |







Left Hand Burnished

Willow Green Height 650mm

More paint finishes on page 2

The Ribbon

This features a Celtic band pattern gracefully flowing down the radiator.

Originally manufactured by the American

Radiator Company, circa 1880, originals of the model can be typically found in Churches








Ancient Breeze Height 650mm



Antiqued (French Grey) Height 500mm





18

| | No. of | Section | Section | Section | Section | Section | Section | Del | ta 50 | De | lta 60 | Weigh | t (Kg) | Wall S | Stays (S | uitable | Fitting) | Wall Mount Bracket |
|------------|---------|------------|-----------|------------|------------|-----------|-----------|-------|-------|-------|--------|-------|--------|--------|----------|---------|----------|--------------------|
| Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | Depth (F) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| JJC014/015 | 2 | 500mm | 185mm | 340mm | I I 0mm | 215mm | 67mm | 227 | 67 | 282 | 83 | 8.3 | 10.0 | ✓ | √ | ✓ | √ | x |
| JJC001/002 | 2 | 650mm | 185mm | 485mm | II0mm | 215mm | 67mm | 298 | 87 | 371 | 109 | 10.9 | 12.9 | ✓ | ✓ | ✓ | √ | × |
| JJC010/011 | 2 | 795mm | 185mm | 630mm | II0mm | 215mm | 67mm | 389 | 114 | 491 | 144 | 11.8 | 14.6 | ✓ | ✓ | ✓ | √ | X |







Hand Burnished Height 795mm





The Antoinette

A highly decorative Regal French design with intricate detailing at the foot and head, connected by a straight-edged vine. Its side is adorned by a subtle midway decoration.








Parchment White Height: 985mm



Primer Height: 985mm







Above Highlight Polish 20

No. of Section Code Columns Height (A) Width (B) Section Section Width (C) Height (D) Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket BTU's Watts Empty Filled L0055 L0056 L0103 L0104 HEF035 LD180/181 I 985mm 155mm 790mm 125mm 76mm 347* 101* 440* 128* 14.1* 16.3* ✓ ✓ ✓ ✓









Parchment White Height 670mm

More paint finishes on page 2

The Churchill

Dating from the 1880's, this style was originally used in Government Buildings. Featuring a superb BTU output per section, this radiator is ideally suited for heating larger rooms.



Height 975mm




Ancient Breeze Height 975mm




Buttermilk Height 670mm



Height 670mm





Above Hand Burnished No. of Section Code Columns Height (A) Section Width (B) Height (C) Height (D) Section No. of Columns Height (A) Section Section Width (B) Height (C) Height (D) Section No. of Columns Height (A) Section No. of Columns Height (B) Height (C) Height (D) Section No. of Columns Height (A) Section No. of Columns Height (B) Height (C) Height (D) Section No. of Columns Height (A) Section No. of Columns Height (B) Height (C) Height (C) Height (D) No. of Columns Height (B) Height (C) Height (C) Height (D) No. of Columns Height (B) Height (C) Height (D) No. of Columns Height (B) Height (C) Height (C) Height (D) No. of Columns Height (D) No. of Columns Height (E) Height (E) Height (E) Height (E) No. of Columns Height (E) Height LD082/083 I 975mm 195mm 790mm 140mm 80mm 614* 179* 782* 228* 24.6* 28.5* 🗸 🗸 🗸







The Eton

radiator with integral legs. The Eton's simple design, consisting of straight edges and a curved top, comes in a full range of








French Grey Height 620mm









Above Hand Burnished 24

| Code | | Section Height (A) | Section Width (B) | Section Height (C) | | Section Width (F) | | ta 50 Watts | | | | | | | | | Wall Mount Bracket HEF035 |
|------------|---|-----------------------|----------------------|-----------------------|-------|----------------------|----------|----------------|------|------|------|-------|---|---|---|---|------------------------------|
| JJC041/042 | | 480mm | 150mm | 340mm | 100mm | 66mm | | | | | 6.7* | | | X | X | × | √ / |
| JJC039/040 | 1 | 620mm | I50mm | 480mm | I00mm | 66mm | 258* | 76* | 327* | 96* | 7.6* | 9.0* | X | X | х | Х | ✓ |
| JJC043/044 | 1 | 770mm | I50mm | 630mm | I00mm | 66mm | 331* | 97* | 420* | 123* | 8.9* | 10.6* | Х | Х | х | Х | ✓ |
| | | | | | | | *Estimat | -ed | | | | | | | | | |







Buttermilk Height 620mm





The Duchess

This 2 column American radiator has a simple,

fresh appearance with a slow curving

top and rounded columns.

A real modern classic that will make a feature in any home.







French Grey Height 590mm



Buttermilk Height 590mm




Above Foundry Grey

26



| Code | | Section Height (A) | | ŀ |
|---------|---|-----------------------|-------|---|
| 042/043 | 2 | 590mm | 175mm | |
| 040/041 | 2 | 785mm | 175mm | |



| Section | Section | Section | De | lta 50 | De | lta 60 | Weigh | nt (Kg) | Wall S | Stays (Si | uitable F | itting) | Wall Mount Bracket |
|------------|------------|-----------|-------|--------|-------|--------|-------|---------|----------|-----------|-----------|---------|--------------------|
| Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| 450mm | I00mm | 71mm | 298 | 87 | 375 | 110 | 8.8 | 10.4 | ✓ | ✓ | ✓ | ✓ | ✓ |
| 640mm | I00mm | 71mm | 382 | 112 | 482 | 141 | 11.6 | 13.6 | √ | ✓ | ✓ | ✓ | ✓ |







Left Hand Burnished

Ancient Breeze Height 795mm

Parchment White Height 610mm

More paint finishes on page 2

The Princess

Believed to be originally manufactured by the Its shallow depth is ideally suited for hallways and narrow rooms. Originally known as the







French Grey Hammered Gold Height 795mm Height 610mm




Ancient Breeze Hand Burnished Height 610mm Height 460mm





Antiqued (Vellum) Height 460mm





| Above Antiqued (Vellum) | Code | No. of Columns | Н |
|----------------------------|-----------|-------------------|---|
| | LD070/071 | 2 | |
| 20 | LD072/073 | 2 | |
| 40 | LD092/093 | 2 | |

| | No. of | Section | Section | Section | Section | Section | De | lta 50 | De | lta 60 | Weigh | t (Kg) | Wall S | Stays (Si | uitable l | Fitting) | Wall Mount Bracke |
|-----------|---------|------------|-----------|------------|------------|-----------|-------|--------|-------|--------|-------|--------|--------|-----------|-----------|----------|-------------------|
| Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LDI04 | HEF035 |
| LD070/071 | 2 | 460mm | 125mm | 300mm | 105mm | 76mm | 171 | 50 | 213 | 62 | 5.3 | 6.2 | ✓ | ✓ | ✓ | ✓ | ✓ |
| LD072/073 | 2 | 610mm | 125mm | 450mm | 105mm | 75mm | 226 | 66 | 282 | 83 | 7.8 | 8.8 | ✓ | ✓ | ✓ | √ | ✓ |
| LD092/093 | 2 | 795mm | I25mm | 640mm | 105mm | 76mm | 295 | 86 | 366 | 107 | 9.3 | 11.9 | ✓ | √ | ✓ | √ | ✓ |







Left Hand Burnished

Parchment White Height 780mm

The Cromwell

A traditional Victorian radiator which was first produced in America in the 1880s. Today, this simple design gives a contemporary feel, especially when hand burnished.








French Grey Height 635mm



Willow Green Height 485mm






| Above | | No. of | Section | Section | Section | Section | Section | Section | Del | ta 50 | Del | ta 60 | Weigh | t (Kg) | Wall S | Stays (S | uitable | Fitting) | Wall Mount Bracket |
|-------------|------------|---------|------------|-----------|------------|------------|-----------|-----------|-------|-------|-------|-------|-------|--------|--------|----------|---------|----------|--------------------|
| Satin Black | Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | Depth (F) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD 103 | LDI04 | HEF035 |
| | JJC047/048 | 2 | 485mm | I20mm | 335mm | II0mm | I40mm | 68mm | 171 | 50 | 213 | 62 | 4.8 | 5.8 | ✓ | ✓ | ✓ | ✓ | ✓ |
| 20 | JJC045/046 | 2 | 635mm | I20mm | 480mm | II0mm | I40mm | 68mm | 222 | 65 | 277 | 80 | 6.1 | 7.4 | ✓ | ✓ | ✓ | ✓ | ✓ |
| 30 | JJC049/050 | 2 | 780mm | I20mm | 630mm | II0mm | I40mm | 68mm | 273 | 80 | 340 | 99 | 7.4 | 9.0 | ✓ | ✓ | ✓ | ✓ | ✓ |











Available in 2 sizes

Ermine 778mm QSS028 Chrome Finish Towel Rail Also Available: Ermine 778mm QSS029 Copper Finish Towel Rail



The Peerless

Formerly manufactured by the American Radiator Company in the 1900's, this vintage design has stood the test of time and features a crisp centre line detail. This model was originally used in hospitals as the sections have a wider gap to allow eaiser cleaning.



Parchment White Height 750mm



Antiqued (French Grey) Height 750mm



Hammered Gold Height 550mm



Willow Green Height 550mm

The inserted cast iron radiators can be painted in your choice of colour More paint finishes on page 2








Towel Rails


Influenced by original Victorian designs, these towel rails in are available in a high quality chrome or copper finish.


They come with an integral radiator in cast iron or steel options, offering an attractive and efficient bathroom solution.






| 7 10010 | | | | | | | | | | | | | | |
|-------------|-----------|---------|------------|-----------|------------|------------|-----------|-----------|-------------|------------|----------------|---------------|------------------|--------------------|
| Ancient | | No. of | Section | Section | Section | Section | Section | Section | Delta 50 | Delta 60 | Weight (Kg) | Wall Stays (S | uitable Fitting) | Wall Mount Bracket |
| Breeze | Code | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | Depth (F) | BTU's Watts | BTU's Watt | s Empty Filled | LD055 LD056 | LD103 LD104 | HEF035 |
| 20 | LD202/203 | 2 | 550mm | 190mm | 400mm | I00mm | 215mm | 77mm | 313 92 | 394 115 | 9.1 10.8 | √ | √ | ✓ |
| 5 _/ | LD204/205 | 2 | 750mm | I90mm | 600mm | I00mm | 215mm | 77mm | 424 124 | 535 157 | 11.9 14.3 | V V | V V | ✓ |






Copper Finish Towel Rail

With Cast Iron Radiator



| Code | Overall | Overall | Inlet Pipe Centre | Depth from | Inlet Pipe Centre | Delt | ta 60 |
|------------|------------|-----------|-------------------|------------|-------------------|----------|-------|
| | Height (A) | Width (B) | Height (C) | Wall (D) | of Wall (E) | BTU's | Watts |
| QSS030/031 | 910mm | 1000mm | I00mm | 254mm | I27mm | 2267* | 636* |
| QSS028/029 | 778mm | 686mm | I00mm | 254mm | I27mm | 1731* | 508* |
| QSS009/010 | 960mm | 675mm | I05mm | 230mm | I05mm | 2407* | 705* |
| QSS011/012 | 960mm | 675mm | I05mm | 230mm | I05mm | 2250* | 659* |
| | | | | | | *Estimat | ed |









Willoughby QSS003 Chrome Finish Towel Rail With White Steel Radiator



Towel Rails



QSS003

Bassingham QSS015

Beckingham QSS005 Chrome Finish Towel Rail Also Available: QSS006

Copper Finish Towel Rail

Chrome Finish Towel Rail

Hawton QSS013 Chrome Finish Towel Rail With White Steel Radiator

| В | | В | | В | E |
|--------|--------------------------|----------------------------------|---------|---|---|
| | | | | | Ö |
| | | | | S())()()()()()()()()()()()()()()()()()(| |
| | | D | 7- 10 m | D | 9 |
| QSS015 | Code Overall Overall | Inlet Pipe Centre Inlet Pipe Dep | QSS | Delta 60 | |

Overall Overall Overall | Overall | Inlet Pipe Centre | Inlet Pipe | Depth from | Inlet Pipe Centre | Delta 60 | Height (A) | Width (B) | Height (C) | Width (D) | Wall (E) | of Wall (F) | BTU's | Watts 2820* 826* OSS003 II0mm QSS013 3600* 1055* 960mm 755mm 600mm 230mm I00mm QSS014 590mm 115mm 435mm 230mm I00mm 2340* 685*

34

Chrome Finish Towel Rail With Hand Burnished Cast Iron





Left

LD098





LD057 Daisy Wheel 15mm Inlet Manual Valve Chrome 3/4" Radiator Bush Required







LD105 Daisy Wheel 15mm Inlet Manual Valve Satin Nickel 3/4" Radiator Bush Required



LD021 Daisy Wheel 15mm Inlet Manual Valve Brass 3/4" Radiator Bush Required

Accessories

Period valves to compliment our range

are also available with the added

advantage of a thermostatic feature

on the 'Crocus and Kingsgrove' styles.



Manual Valve Antique Brass

1/2" Radiator Bush Required

LD091 Brumpton 15mm Inlet Manual Valve Chrome 1/2" Radiator Bush Required



LD090 Brumpton I5mm Inlet Manual Valve Brass I/2" Radiator Bush Required



QSS018 Crocus Wheel 15mm Inlet Thermostatic Valve Chrome 1/2" Radiator Bush Required



QSS017 Crocus Wheel 15mm Inlet Thermostatic Valve Brass I/2" Radiator Bush Required



LD106 Crocus Wheel 15mm Inlet Thermostatic Valve Satin Nickel 1/2" Radiator Bush Required



KAL002 Kingsgrove 15mm Inlet Thermostatic Valve Brass 1/2" Radiator Bush Required

KAL001 Kingsgrove 15mm Inlet Thermostatic Valve Chrome 1/2" Radiator Bush Required

LD095 Telford 15mm Inlet Manual Valve Brass 1/2" Radiator Bush Required

LD116 Telford 15mm Inlet Manual Valve Chrome 1/2" Radiator Bush Required



LD094 Brunel 22mm Inlet Manual Valve Brass I" Radiator Bush Required



LD114 Brunel 22mm Inlet Manual Valve Chrome I" Radiator Bush Required




QSS016 Towel Rail 15mm Inlet Manual Valve Chrome 1/2" Radiator Bush Required



Radiator Wall Mounting Bracket





LDIII

Chrome

Bleed Nipple



| Cas | t Iron Rac | liator Cove | er | | Granite T | op to Fit | |
|-------|------------|-------------|-------|--------|-----------|-----------|-------|
| Code | Height | Width | Depth | Code | Height | Width | Depth |
| RXI53 | 850mm | 1790mm | 320mm | HEF249 | 30mm | 1830mm | 345mm |





| Cas | st Iron Rad | diator Cov | er | | Granite T | op to Fit | |
|-------|-------------|------------|-------|--------|-----------|-----------|-------|
| Code | Height | Width | Depth | Code | Height | Width | Depth |
| RX152 | 900mm | 1580mm | 320mm | HFF248 | 30mm | 1650mm | 355mm |





HEF035





Brass









| Cas | t Iron Rac | liator Cov | | Granite T | op to Fit | | |
|-------|------------|------------|-------|-----------|-----------|--------|------|
| Code | Height | Width | Depth | Code | Height | Width | Dept |
| RX197 | 900mm | 900mm | 330mm | HEF252 | 30mm | 940mm | 355m |
| RX198 | 850mm | 1010mm | 320mm | HEF253 | 30mm | 1030mm | 345m |