



THE VICTORIAN 3

SIZE CHART



SECTIONS ADDED	TOTAL LENGTH	BTUs @ ΔT60	WATTS @ ΔT60	BTUs @ ΔT50	WATTS @ ΔT50
1		315	92	246	72
2		630	184	492	145
3		945	276	738	217
4	285mm	1260	368	984	289
5	345mm	1575	460	1230	362
6	405mm	1890	552	1476	434
7	470mm	2205	644	1722	506
8	530mm	2520	736	1968	579
9	590mm	2835	828	2214	651
10	650mm	3150	923	2460	724
11	715mm	3465	1015	2706	796
12	775mm	3780	1108	2952	868
13	840mm	4095	1199	3198	941
14	900mm	4410	1291	3444	1013
15	965mm	4725	1383	3690	1085
16	1025mm	5040	1477	3936	1158
17	1090mm	5355	1569	4182	1230
18	1150mm	5670	1661	4428	1302
19	1215mm	5985	1754	4674	1375
20	1275mm	6300	1846	4920	1447

B

Beaumont cast iron



SECTIONS ADDED	TOTAL LENGTH	RA 3650			
		BTUs @ ΔT60	WATTS @ ΔT60	BTUs @ ΔT50	WATTS @ ΔT50
1		454	133	355	104
2		908	266	710	209
3		1362	399	1065	313
4	285mm	1816	532	1420	418
5	345mm	2270	665	1775	522
6	405mm	2724	798	2130	626
7	470mm	3178	931	2485	731
8	530mm	3632	1064	2840	835
9	590mm	4086	1198	3195	940
10	650mm	4540	1331	3550	1044
11	715mm	4994	1464	3905	1149
12	775mm	5448	1597	4260	1253
13	840mm	5902	1730	4615	1357
14	900mm	6356	1863	4970	1462
15	965mm	6810	1996	5325	1566
16	1025mm	7264	2129	5680	1671
17	1090mm	7718	2262	6035	1775
18	1150mm	8172	2395	6390	1879
19	1215mm	8626	2528	6745	1984
20	1275mm	9080	2661	7100	2088

B

Beaumont cast iron



RA 3760

SECTIONS ADDED	TOTAL LENGTH	BTUs @ $\Delta T60$	WATTS @ $\Delta T60$	BTUs @ $\Delta T50$	WATTS @ $\Delta T50$
1		512	150	400	118
2		1024	300	800	235
3		1536	450	1200	353
4	285mm	2048	600	1600	471
5	345mm	2560	750	2000	588
6	405mm	3072	900	2400	706
7	470mm	3584	1050	2800	824
8	530mm	4096	1200	3200	941
9	590mm	4608	1351	3600	1059
10	650mm	5120	1501	4000	1176
11	715mm	5632	1651	4400	1294
12	775mm	6144	1801	4800	1412
13	840mm	6656	1951	5200	1529
14	900mm	7168	2101	5600	1647
15	965mm	7680	2251	6000	1765
16	1025mm	8192	2401	6400	1882
17	1090mm	8704	2551	6800	2000
18	1150mm	9216	2701	7200	2118
19	1215mm	9728	2851	7600	2235
20	1275mm	10240	3001	8000	2353



OVERVIEW

The VICTORIAN 3 cast iron radiator will blend with either traditional or contemporary settings whilst providing outstanding heat outputs. This radiator is available in three heights 450mm, 650mm and 760mm.

All Beaumont cast iron radiators are carefully hand built to your own required BTUs and fully assembled ready for plumbing into your new or existing pipework.

The VICTORIAN 3 can be finished in a variety of colours – metallic, Farrow & Ball range, RAL colours or primed for onsite painting.

Because each radiator section is hand cast there may be a slight variation in the length of each radiator once built (end bush to end bush), please allow for this in your pipework fitting.

DEPTH OF SECTION FROM SKIRTING BOARD = 60MM

SECTION WIDTH = 62MM

WEIGHT = 3.5KG / 5KG / 6KG